



Jofemar
VENDING

Goya





GOYA 10



GOYA 12



GOYA 16



GOYA 22



GOYA 32



GOYA LUX

VANDAL-PROOF
LOCKOPTIMISED
CAPACITY AND
VOLUMEENERGY-SAVING
LED LIGHTINGBANKNOTE AND
COIN MECHANISM
PAYMENT
SYSTEMS

Goya

An elegant and functional range

The Goya range stands out for the elegance of its shape and its wonderful finishing, that allows its integration in any environment. As well as optimised capacity and volume, this range features a double security door, vandal-proof lock and a fluid-proof keyboard. Thanks to an external key access, changing the product decals has never been that easy. Available in different configurations depending on the number of selections, capacity and channels, this range is highly configurable in order to better fit your business.

FEATURES

- Vertical column loading system to speed up loading.
- Graphic display with animations, texts and designs, updatable through USB.
- Independent detection of sold out products by channel.
- Continuous performance self-testing.
- Remote age control.

STRUCTURE

- 1.5mm-thick steel-plate cabinet treated against rust.
- Internal vandal-proof lock and three anchor points.
- High capacity cash box with lock and optional auto-locking during extraction.
- Energy-saving LEDs lighting in the front panel, selection buttons and delivery drawer.
- Fluid-proof selection keypad.
- Independent locks to access the cabinet or the front image and the product decals.
- Built-in casters for ease of displacing.

CREDIT MANAGEMENT

- Innovative Jofemar coin mechanism with five return tubes for five different coin values.
- Anti-fraud coin validator with parameter analysis, such as diameter, metal composition and magnetic

- property. Features anti-thread system.
- Jofemar banknote reader (optional).

PROGRAMMING

- General onsite programming of all the machine functions.
- Compatible with the EasyFlash programming terminal, with the possibility of cloning machines, creating databases and delivering stock control and accounting.
- Telemetry programming option.
- Dynamic programming that allows grouping up keys and channels in different setups.

OPTIONS

- Telemetry by GSM or GPRS modem using the Jofemar Vending Track software. Price and working mode remote programming; alerts when the product is sold out.
- Multiple channels to vend more products.
- Key delivery kit through a variable code without opening the machine.


DOUBLE
SECURITY
DOORFLUID-PROOF
KEYBOARDCUSTOMISABLE
IMAGEEASY CHANGING
OF DECALS WITH
EXTERNAL KEY ACCESS

GOYA MODEL	10	12	12/16	16	16/22	22	22/31	32	32/41	66/66	LUX 16	LUX 16/22
Selections	16	24	24	32	32	48	48	48	48	60	32	32
Complete/split channels	10	12	8/8	16	10/12	22	13/18	32	23/18	66	16	10/12
Capacity (packages)	306	470	454	626	602	860	824	1,210	1,174	1,592	626	602
Size (mm)	1,600 x 365 x 405	1,600 x 478 x 415	1,600 x 600 x 425	1,600 x 600 x 425	1,600 x 785 x 435	1,600 x 785 x 435	1,600 x 785 x 585	1,600 x 785 x 585	1,950 x 860 x 610	1,950 x 860 x 610	1,600 x 600 x 425	1,600 x 600 x 425
Weight (kg)	76	97	101	113	120	138	157	173	189	242	113	120
Estimated energy consumption	30W	30W	40W	40W	40W	40W	40W	40W	40W	40W	40W	40W

CAPACITY DIAGRAM


GOYA 10

Top view with channel numbering




GOYA 12 • 12/16

Top view with channel numbering




GOYA 16 • 16/22 • LUX

Top view with channel numbering




GOYA 22 • 22/31

Top view with channel numbering



GOYA 32 • 32/41

Top view with channel numbering





Technological
Innovation

Reliability

100% Jofemar
Technology

Jofemar

Ctra. Marcilla km 2
31350 PERALTA. Navarra SPAIN
Tel. +34 948 75 12 12
Fax +34 948 75 04 20

www.jofemarmvending.com





Jofemar
VENDING

RSU





RSU 24



RSU 48



RSU 96



VANDAL-PROOF
LOCKING BAR



OPTIMISED
CAPACITY AND
VOLUME



COMMUNICATION
WITH CASH
REGISTER



CUSTOMISABLE
IMAGE

RSU

Sale organisation and security for new generation premises.

The new RSU (Retail Shop Unit) is the most efficient smart system to automatically distribute cigarettes in new generation premises. Perfect mechanics designed to guarantee maximum capacity and variety in the smallest space possible. Design oriented to improving the user's experience and the exposure of the brand image.

Thanks to the security and an optimal organisation of the packets, not only is the business return increased, but also there is a comprehensive general sale and accounting control in the premise.

FEATURES

- Vertical column stocking system to speed up restocking.
- Independent detection of sold-out products by channel.
- Continuous performance self-testing.
- Maximum stock security.
- Quick and easy to use. The RSU terminal is compatible with the cash register. Product selection in box and automatic product dispensing.
- Designed for easy adaptation to points of sale.

STRUCTURE

- 1.5mm-thick steel-plate cabinet treated for corrosion and rust.
- Interior vandal-proof locking bar and three anchor points.
- Completely customisable front panel to meet customer needs. Serial backlit advertising panel. Optionally, it can incorporate:
 - Screens.
 - Kit of blister hooks to showcase other convenience products.
 - Non-backlit photograph on fixed bracket.

OPTIONS

- Different cigarette packet formats, bigpack, tobacco bags, etc.
- Optionally, it can include a kit to hang blisters in order to showcase other convenience products and, in addition, a non-backlit photograph on fixed bracket.
- Possibility of integrating 42" screens on the doors to display advertising images and audiovisual content.
- Sale control by tablet, without a need to connect it to the premise's cash register.

ADVANTAGES

- Better time and stock management.
- Optimisation of business premises space.
- Enables the enhancing of the business premises image owing to an innovative and surprising design with high quality backlit images and advertising screens with promotions.




	RSU 24/17	RSU 24/24	RSU 24/31	RSU 48/35	RSU 48/48	RSU 48/65	RSU 96
Complete/Split channels	17	10/14	3/28	35	22/26	5/60	19/77
Capacity	647	605	556	1.333	1.255	1.139	1.565
Size	627 x 1.200 x 390 mm			1.240 x 1.200 x 390 mm			1.240 x 1.200 x 550 mm
Estimated energy consumptio	30W			30W			30W
Weight	79 Kg	85 kg	91 Kg	166 Kg	178 Kg	190 Kg	241 Kg

CAPACITIES DIAGRAM


RSU 24

Bird's-eye view of numbered channel trays




RSU 48

Bird's-eye view of numbered channel trays



RSU 96

Bird's-eye view of numbered channel trays





Jofemar
VENDING

Technological
Innovation

Reliability

100% Jofemar
Technology

Jofemar

Ctra. Marcilla km 2
31350 PERALTA. Navarra SPAIN
Tel. +34 948 75 12 12
Fax +34 948 75 04 20

www.jofemarmvending.com





Jofemar
VENDING

SMU





SMU



OPTIMISED CAPACITY
AND VOLUME



TOUCHSCREEN



THEFT
PROTECTION



BETTER STOCK
CONTROL

SMU

The best tool for preventing tobacco losses at retail stores.

The new SMU is an automatic tobacco vending system equipped with state-of-the-art anti-theft technology for supermarkets and retail stores. An essential tool towards increasing your business' security and avoiding losses.

The system can be installed either next to or below the cash register conveyor belt, thereby optimising and decluttering the checkout counter. The Side Counter model and the Under Counter model are both compatible with the most commonly used checkout counter furniture. Once the customer has selected the products on a 21.5-inch touchscreen, they are delivered on the outfeed conveyor belt, right beside the cash register.

Moreover, using the lower part of the counter allows us to save store space and keep other products well organised.

FEATURES

- Greater total capacity.
- Easily disassembled for repair.
- Quiet and efficient extraction system equipped with technology that accelerates the output speed.
- Sales control via 21.5-inch tablet, with no connection to the store cash register.
- Intuitive interface design that makes it easier for customers to select the product.
- Product output in both left/right directions.
- Adjustable number of selections.
- Simple recognition of product availability.
- Pipe tobacco dispensing.
- 22 multi-format and width-adaptable channels without any need for adjustment.

STRUCTURE

- Modular installation.
- Different module positions for product supply.
- Superior ergonomics: easy access to restocking channels.
- Inner lifting mechanism.

OPTIONS

- Side Counter (parallel to the cash register conveyor belt)
- Under Counter (beneath the cash register conveyor belt)
- Different tobacco packaging formats, such as BigPack or pouches.
- Control device to protect minors.
- Access to and management of sales, product and price information.

BENEFITS

- Better time and stock management.
- Optimisation of available business premises space.
- Increased anti-theft security.
- Provides the establishment with a new approach for incorporating additional advertising into the point of sale.

Side Counter	SMU 32/32-SC	SMU 80/60-SC	SMU 80/80-SC	MODULE
Complete/Split channels	32	60	80	N/A
Capacity	544	1,040	940	N/A
Size	740 x 880 x 520 mm	1,400 x 880 x 520 mm		215 x 1,111 x 520 mm
Weight	85 kg	150 kg		40 kg

Under Counter	SMU 43 UC	SMU 23/23
Complete/Split channels	43	23
Capacity	528	283
Size	1,000 x 720.50 x 520 mm	540 x 720.50 x 520 mm
Weight	Kg	kg

CAPACITIES DIAGRAM

SMU 32 SC

Bird's-eye view featuring capacities.

Cabinet

Door

SMU 32 SC Total capacity: 544

SMU 80/60 SC

Bird's-eye view featuring capacities.

Cabinet

Door 1

Door 2

SMU 80/60 SC Total capacity: 1,040

SMU 80/80 SC

Bird's-eye view featuring capacities.

Cabinet

Door 1

Door 2

SMU 80/80 SC Total capacity: 940

SMU 43 UC

Bird's-eye view featuring capacities

Cabinet

Door 1

Door 2

SMU 43 UC Total capacity: 528

SMU 23 UC

Bird's-eye view featuring capacities

Cabinet

Door 1

SMU 23 UC Total capacity: 283



Jofemar
VENDING

Technological
Innovation

Reliability

100% Jofemar
Technology

Jofemar

Ctra. Marcilla km 2
31350 PERALTA. Navarra SPAIN
Tel. +34 948 75 12 12
Fax +34 948 75 04 20

www.jofemarmvending.com





Jofemar
VENDING

argos





ARGOS 10



ARGOS 11



ARGOS 15



ARGOS 21



VANDAL-PROOF
LOCK



OPTIMISED
CAPACITY AND
VOLUME



ENERGY-SAVING
LED LIGHTING



BANKNOTE
AND COIN
MECHANISM
PAYMENT
SYSTEMS

argos

A versatile, practical and simple range

The Argos range of cigarette machines has a robust, simple and pleasant finish, which allows its integration in any horeca site. As any other Jofemar machine, its structure allows maximum storage capacity and has attractive features such as the fluid-proof keyboard or the easiness to change the product labels.

FEATURES

- Vertical column loading system to speed up loading.
- Graphic display with animations, texts and designs, updatable through USB.
- Independent detection of sold out products by channel.
- Continuous performance self-testing.
- Remote age control.

STRUCTURE

- 1.5mm-thick steel-plate cabinet treated against rust.
- Internal vandal-proof lock and three anchor points.
- High-capacity cash box and optional auto-locking during extraction.
- Energy-saving LED lighting in the front panel, selection buttons and delivery drawer.
- Fluid proof keyboard.
- Built-in casters for ease of displacing.

CREDIT MANAGEMENT

- Innovative Jofemar coin mechanism with five return tubes for five different coin values.
- Anti-fraud coin validator with parameter analysis, such as diameter, metal composition, magnetic property. Features anti-thread system.
- Jofemar banknote reader (optional).

PROGRAMMING

- General onsite programming of all the machine functions.
- Compatible with the EasyFlash programming terminal. Database creation and delivery of stock recount and accounting.
- Fitted for creating machines backups and cloning through an USB.
- Telemetry programming option.
- Dynamic programming that allows grouping up keys and channels in different setups.

OPTIONS

- Telemetry by GSM or GPRS modem using the Jofemar Vending Track software. Price and working mode remote programming; informs when the product is sold out.
- Multiple channels to vend more products.
- Key delivery kit through a variable code without opening the machine.
- Lockable keypad labels.



EASY CHANGING
OF DECALS



FLUID-PROOF
KEYBOARD



CUSTOMISABLE
IMAGE


	ARGOS 10	ARGOS 11	ARGOS 11/14	ARGOS 15	ARGOS 15/20	ARGOS 21	ARGOS 21/29
Selections	16	24	24	32	32	48	
Complete/Split channels	4/6	11	8/6	15	10/10	21	13/16
Capacity	222	432	420	588	568	822	790
Dimensions	1,045 x 468 x 265 mm	1,600 x 478 x 415 mm		1,600 x 600 x 415 mm		1,600 x 785 x 415 mm	
Weight	50 kg	86 kg		104 kg		118 kg	
Estimated energy consumption	30W	30W		30W		40W	

CAPACITY DIAGRAM

ARGOS 10

Top view with channel numbering

Individual capacity per channel




20	20	20	33	33	33	33
10	10	10				

Total capacity
ARGOS 10: **222**

ARGOS 11 • ARGOS 11/14

Top view with channel numbering

Individual capacity per channel



38	38	38	38	40	40	40	40	40	40	40	40
38	17	17	17	40	40	40	40	40	40	40	40
	17	17	17								


Total capacity
ARGOS 11: **432**

Total capacity
ARGOS 11/14: **420**

ARGOS 15 • ARGOS 15/20

Top view with channel numbering

Individual capacity per channel



38	38	38	38	38	38	40	40	40	40	40	40	40	40	40
38	17	17	17	17	17	40	40	40	40	40	40	40	40	40
	17	17	17	17	17									


Total capacity
ARGOS 15: **588**

Total capacity
ARGOS 15/20: **568**

ARGOS 21 • ARGOS 21/29

Top view with channel numbering

Individual capacity
per channel



38	38	38	38	38	38	38	38	38	38	40	40	40	40	40	40	40	40	40	40	40	40
38	17	17	17	17	17	17	17	17	17	40	40	40	40	40	40	40	40	40	40	40	40
	17	17	17	17	17	17	17	17	17												

Total capacity
ARGOS 21: **822**

Total capacity
ARGOS 21/29: **790**



Jofemar
VENDING

Technological
Innovation

Reliability

100% Jofemar
Technology

Jofemar

Ctra. Marcilla km 2
31350 PERALTA. Navarra SPAIN
Tel. +34 948 75 12 12
Fax +34 948 75 04 20

www.jofemarmvending.com





Vision

Big-Box

Maximum storage
capacity

Vision Big-Box is one of the most versatile cigarette machine models in the market. Fitted to vend whole cartons, individual packets, tobacco bags, cans or any type of packed tobacco, it offers unique advantages over any other model. The Vision models feature an exclusive product storage and extraction system that can be adapted, without any tools, to almost any type of package and size. This innovative and flexible design allows maximum capacity and turns the complete tray surface in useful space for storage and sell.

CAPACITY

- Cartons: 227
- Packs: 1,848
- Bags: 918
- Allows combining all these products depending on customer's requirements.

FEATURES

- Lineal loading system without coil springs.
- Continuous performance self-testing.
- Remote age control.
- Flexible setup, and programming without tools.
- LED lighting system with on/off programming.
- Correct sale detection with photocells.
- Energy consumption: 40w.

SIZE

- Height x width x depth: 1,825 x 800 x 935 mm.
- Weight: 297 kg.

STRUCTURE

- Modular cabinet structure treated against rust and corrosion.
- Vandal-proof security lock with three anchor points.
- High-capacity cash box with lock and optional auto-locking during extraction.

CREDIT MANAGEMENT

- Innovative Jofemar coin mechanism with five return tubes for five different coin values.
- Anti-fraud coin validator with parameter analysis, such as diameter, metal composition and magnetic property. Features anti-thread system.
- Optional banknote reader.



The Big-Box model has a capacity of 227 cartons.

PROGRAMMING

- General on site programming of all the machine functions.
- Compatible with the EasyFlash programming handheld terminal, with the possibility of creating machine backups and cloning, creating databases and delivering stock control and accounting.
- Telemetry programming option.
- Dynamic programming that allows grouping up keys and channels in different setups.

OPTIONS

- Telemetry by GSM or GPRS modem using Jofemar Vending Track software. Includes data accounting, sales, incidences, prices, programming options or SMS to mobile phones in case of sold out products.



VANDAL-PROOF
LOCK



OPTIMISED
CAPACITY AND
VOLUME



ENERGY-SAVING
LED LIGHTING



BANKNOTE
AND COIN
MECHANISM
PAYMENT
SYSTEMS



EXTRA CAPACITY



Ctra. Marcilla km 2
31350 PERALTA. Navarra SPAIN
Tel. +34 948 75 12 12
Fax +34 948 75 04 20

www.jofemarmvending.com

