



Jofemar
VENDING

Vision

ComboPlus
Multiseller
SnackPlus
EasyCombo
€-S/€-S Plus
Pago/Payment €-S Plus





VISION COMBOPLUS



VISION MULTISELLER



VISION SNACKPLUS



VISION EASYCOMBO



VANDAL-PROOF
LOCK



OPTIMISED
CAPACITY AND
VOLUME



ENERGY-SAVING
LED LIGHTING



BANKNOTE
AND COIN
MECHANISM
PAYMENT
SYSTEMS

Vision

Comprehensive vending solutions

The Vision range offers a complete snack, food and other products vending solution while guaranteeing an optimal usage of the available space. Manufactured with the most robust materials, these models include an extra large soft delivery elevator bucket. It features EASYFLEX, an exclusive flexible extraction system. The channels are adaptable to almost any product and packaging thanks to the innovative Jofemar design, which significantly increases the overall vending capacity. Optionally, a banknote reader and telemetry can be fitted.

COMBOPLUS. Suitable for cold drinks, chocolates, sandwiches and healthy food items as it is equipped with a bespoke cooling unit that controls evenly the temperature inside the vendor. Features a soft delivery product elevator.

MULTISELLER. The perfect machine to vend high ticket items and/or sensitive products. Features a product elevator that delivers at a waist-height point.

SNACKPLUS. The vending machine with most features in the market. An ambient machine with an optimum footprint/capacity ratio that makes it the best solution for retailers for loss prevention and operators to offer snacks, non convetional items and PPEs.

EASYCOMBO. 30% more capacity than a standard machine, features a refrigerated cabinet with different temperature areas offering an innovative way of selling FMCG products in just one machine.

VISION E-S/ VISION E-S PLUS. Slave vendors (with and without extra large elevator bucket) to significantly increase the number of channels and storage capacity as they can be conected to a master machine or to a master payment module. Ambient version is available for both vendors.

PAYMENT POD. Side detached master module to control up to a combination of 4 slave vendors type Vision ES and/or Vision ES Plus.



EXPIRATION
PROGRAMMING



EASYFLEX
DELIVERY
SYSTEM



HEALTH TIMER:
EXPIRATION
PROGRAMMING BY
TEMPERATURE



PRODUCT
DELIVERY DETECTION
PHOTOCELLS



VISION E-S



VISION E-S PLUS



PAYMENT POD + E-S PLUS

FEATURES

- Flexible setup and programming. Its channel adjustment system allows incorporating new products at any time without using tools.
- FIFO (First In First Out) System. Continuous renewal with the freshest product. Product dispensing according to loading order.
- Adjustable motor torque for each selection.
- Continuous performance self-testing.
- Health timer to prevent selling of out-of-date product. Programmable expiration date by selection or channel.
- LED lighting with on/off programming.
- Energy-saving LED lighting.
- Available with MDB or Executive vending protocols.

STRUCTURE

- Modular cabinet structure, treated against rust and corrosion.
- Gusset closing and three anchor points, with security lock and vandal-proof strip.
- High-capacity cash box with lock.
- Cabinet injected with insulating foam to guarantee efficient cooling and lower energy consumption.

CREDIT MANAGEMENT

- Advanced coin mechanism payment system with five return tubes for up to five different coin values.
- T15 coin validator with the most reliable fraud-prevention systems.

PROGRAMMING

- General on site programming with the machine's keyboard and the LCD screen messages.
- Telemetry by GSM or GPRS modem using the Jofemar Vending Track software. Includes data accounting, sales, incidences, prices, programming options or SMS to mobile phones in case of sold out products.

OPTIONS

- Banknote reader.
- Jofemar J130 card/key reader or any card reader that uses the MDB protocol.
- Pop-up billboard advertisement. Extensible panel with the elevator movement in the ComboPlus and Multiseller models.
- Vandal-proof coin entry option.
- Microwave ovens detached column for master machines. Self-activated when a product has been dispensed from the master machine. Individually heating time is programmed per selection.

	COMBOPLUS	MULTISELLER	SNACKPLUS	EASYCOMBO	VISION E-S	VISION E-S PLUS	PAYMENT POD + E-S PLUS
Temperature	Under 5°C	Room temperature	Room temperature	Under 5°C	With/Without cooling unit		-
Maximum capacity	8 trays of up to 7 channels	8 trays of up to 7 channels	6 trays of up to 10 channels and 2 trays of up to 7 channels	6 trays of up to 10 channels and 2 trays of up to 7 channels	6 trays of up to 10 channels and 2 trays of up to 7 channels	8 trays of up to 10 channels	8 trays of up to 10 channels in the machine
Elevator	Yes	Yes	No	No	No	Yes	Yes
Size (mm)	1,830 x 803 x 935		1,830 x 803 x 970		1,830 x 803 x 935	1,830 x 803 x 970	1,830 x 1.043 x 970
Weight	325 kg	296 kg	268 kg	297 kg	297 kg	325 kg	-
Energy supply	230 V, 50 Hz*						
Cooling unit	CFC-free R-134a	No	No	CFC-free R-134a	Optional	Optional	Optional (in machine)

*Check for other voltages.



Jofemar
VENDING

Technological
Innovation

Reliability

100% Jofemar
Technology

Jofemar

Ctra. Marcilla km 2
31350 PERALTA. Navarra SPAIN
Tel. +34 948 75 12 12
Fax +34 948 75 04 20

www.jofemarmvending.com



iceplus
iceplus food





VANDAL-PROOF
LOCK



OPTIMISED
CAPACITY AND
VOLUME



BANKNOTE
AND COIN
MECHANISM
PAYMENT
SYSTEMS

iceplus & iceplus food

Food prepared on the fly

ICEPLUS FOOD

The perfect vending machine to offer a 24/7 canteen service. IcePlus Food stores up to 30 frozen dishes that can be heated promptly thanks to an optional microwave module that activates once the product has been delivered. IcePlus Food stores food at -21°C and it dispenses it to the consumer's hands thanks to a soft delivery elevator that avoids harsh movements and bumps.

The machine can be complimented with other Jofemar models to sell salads and cold dishes, soft drinks, snacks, desserts and coffee to provide a complete dining menu.

ICEPLUS

The perfect solution for automated dispensing of ice-cream and frozen products. It features a cooling unit and an insulation system that keeps products constantly at -21°C, so that they do not deteriorate. It can be used on its own or become the perfect complement for the IcePlus Food machines to offer a summer menu.



ELEVATOR



HEALTH TIMER:
EXPIRATION
PROGRAMMING BY
TEMPERATURE



PRODUCT
DELIVERY
DETECTION
PHOTOCELLS

	ICEPLUS	ICEPLUS FOOD
Temperature	-21 °C	
Number of trays/motors	10 trays/3 motors	
Elevator	Yes	
Selections	Numeric keyboard	
Illuminated advertisement panel	1,750 x 788 mm	1,699 x 720 mm
Size	1,830 x 1,040 x 921 mm	1,830 x 1,037 x 951 mm
Weight	440 kg	425 kg
Energy supply	230 V, 50 Hz*	
Cooling unit	CFC-free R-404a	
Maximum power used	1,800 watts (only during defrost cycles)	
Microwave module	-	1,820 x 640 x 510 mm

*Check for other voltages.



ICEPLUS

FEATURES

- Flexible channel, selections and price programming: allows to link several channels to a single selection with alternate dispensing.
- Automatic configuration detection of existing channels.
- Health timer: smart control of product expiration dates.
Total. In the case of power outage or if the product has reached an undesired temperature for a long time.
- Electronic temperature control.
- FIFO (First In First Out) System. Continuous renewal with the freshest product. Product dispensing according to loading order.
- Innovative Jofemar coin mechanism with five return tubes for up to five different coin values, Jofemar coin validator with the most reliable fraud-prevention systems.
- Numeric display to show credit, price, programming and clock, as well as permanent information on the internal temperature of the product counter.
- Smart control of the mechanisms position with photocells. Ensures correct vend and position control.
- Continuous performance self-testing with message display: rebuildable automatically and by programming.
- Complete reporting of accounting and sales data.
- Quick programming through the Jofemar handheld terminal.
- Two RS-232 outlets to gather data.

STRUCTURE

- Up to 10 trays of 2, 3 and 4 channels each, with adjustable height: from 1 to 40 different product selections (depending on configuration).
- Horizontal delivery channel with pushers and width product adapters (the adjustment does not require tools).
- 1.5 mm steel cabinet. Reinforced door frame and vandal-proof strips.
- Treatment against metal corrosion and thermo-retractable powdered paint.

CREDIT MANAGEMENT

- Innovative Jofemar coin mechanism with five return tubes for up to five different coin values, Jofemar coin validator with the most reliable fraud-prevention systems.

OPTIONAL ACCESSORIES

- Card payment system. Jofemar J130 card/key reader or any card reader that uses the MDB protocol.
- Banknote payment system. Jofemar banknote reader.
- Executive protocol.



ICEPLUS FOOD

FEATURES

- Fitted to deliver plates up to the following sizes: 230 x 180 x 35. It can also vend ice bags and ice-cream without the need to add an additional container to the product.
- Flexible configuration that allows adjusting the channels to new products without tools.
- Health timer smart control of product expiration dates.
 - By individual product and date: inhibits the sale of that product.
 - Total. In the case of power outage or if the product has reached an undesired temperature for a long time.
- Soft delivery elevator at the consumer's hand height (delivery without harsh movements).
- FIFO (First In First Out) System. Continuous renewal with the freshest product. Product dispensing according to loading order.
- Correct sale detection with photocells.
- Automatic defrosting system.

STRUCTURE AND SIZE

- Injected foam insulation system that allows maintaining the temperature ensuring low energy consumption and efficiency.
- Cabinet sealed with a motorised door lock, maximum dampness insulation.
- 1.5mm-thick steel external cabinet treated against corrosion and rust.
- Front panel lighting with energy saving LEDs.
- Crowbar-resistant door and three anchor points, with security lock and vandal-proof strip.
- Stainless steel front for ease of cleaning.
- Illuminated keys to indicate the possibility of using the microwave and numerical keyboard with the heating time.

CREDIT MANAGEMENT

- Innovative Jofemar coin mechanism with five return tubes for up to five different coin values, Jofemar coin validator with the most reliable fraud-prevention systems.

PROGRAMMING

- General on site programming with the machine's keyboard, EasyFlash handheld terminal, PC or GSM or GPRS modem using the Jofemar Vending Track management software.
- Data storage and stock control and accounting.
- Dynamic programming that allows joining several channels to a selection.

OPTIONS

- Card reader and banknote reader connection fitted.
- Microwave ovens detached column, controlled by the IcePlus Food machine. Self-activated when the product has been dispensed from the master IcePlus Food machine.



Technological
Innovation

Reliability

100% Jofemar
Technology

Jofemar

Ctra. Marcilla km 2
31350 PERALTA. Navarra SPAIN
Tel. +34 948 75 12 12
Fax +34 948 75 04 20

www.jofemarmvending.com





Jofemar
VENDING

Vision

B L U E T E C

Technological innovation
and elegance, hand in hand
to provide state-of-the-art
integrated vending.





VISION COMBOPLUS



VISION MULTISELLER



VISION SNACKPLUS



VISION EASYCOMBO

Vision B L U E T E C

A touch of elegance for your business

New Vision Bluetec machines ensure the best vending and comprehensive automated sales offer. **With a renewed design, featuring black tones, stainless steel finishes and silver silkscreen**, they equip new features and materials which significantly improve the machine's energy efficiency. Equipped with a new display and a renewed keyboard, both backlit in blue. They feature modular construction and are **adaptable to virtually any product and packaging** because all the channels are adaptable thanks to the innovative Jofemar design.

COMBOPLUS y EASYCOMBO. Featuring the new Bluetec design, they offer the best and innovative way of selling FMCG products in just one machine. Both models are equipped with cooling unit and the model ComboPlus is fitted with a soft delivery elevator.

MULTISELLER y SNACKPLUS. They are the most suitable solution to sell products at room temperature or those which require no refrigeration, in addition to high-end products. The model Multiseller is fitted with a soft delivery elevator.

VISION E-S PLUS/ VISION E-S. Slave vendors (with and without extra large elevator bucket) significantly increase the number of channels and storage capacity as they can be connected to a master machine or to a master payment module. Ambient version is available for both vendors. Can be managed from master, Coffeemar or MSK machines.

PAYMENT POD. Side detached master module to control up to a combination of 4 slave vendors type Vision ES and/or Vision ES Plus.

MSK PREMIUM. With a 27" touch screen, it offers new intelligent solutions for unattended sales which ensure a unique and dynamic interactive shopping experience.



VANDAL-PROOF
LOCK



OPTIMISED
CAPACITY AND
VOLUME



ENERGY-SAVING
LED LIGHTING



BANKNOTE
AND COIN
MECHANISM
PAYMENT
SYSTEMS



IMPROVED
DESIGN



EXPIRATION
PROGRAMMING



EASYFLEX
DELIVERY
SYSTEM



HEALTH TIMER:
EXPIRATION
PROGRAMMING BY
TEMPERATURE



PRODUCT
DELIVERY DETECTION
PHOTOCELLS



VISION E-S PLUS (+MSK)

VISION E-S (+Coffeemar)

PAYMENT POD + E-S PLUS

FEATURES

- Flexible setup and programming. Its channel adjustment system allows incorporating new products at any time without using tools.
- FIFO (First In First Out) System. Continuous renewal with the freshest product. Product dispensing according to loading order.
- Adjustable motor torque for each selection.
- Continuous performance self-testing.
- Health timer to prevent selling of out-of-date product. Programmable expiration date by selection or channel.
- LED lighting with on/off programming.
- Energy-saving LED lighting.
- Available with MDB or Executive vending protocols.

STRUCTURE

- Modular cabinet structure, treated against rust and corrosion.
- Gusset closing and three anchor points, with security lock and vandal-proof strip.
- High-capacity cash box with lock.
- Cabinet injected with insulating foam to guarantee efficient cooling and lower energy consumption.
- Bluetec line, finished in black metallic coating, stainless steel frames and silver motives.

CREDIT MANAGEMENT

- Advanced coin mechanism payment system with five return tubes for up to five different coin values.
- T15 coin validator with the most reliable fraud-prevention systems.

PROGRAMMING

- General on site programming with the machine's keyboard and the LCD screen messages.
- Telemetry using the J-LINK Gateway. Full data access in Jofemar platform J-SUITE, accountings, sales, incidences, prices, programming options and instant alerts in case of sold out products.

OPCIONES

- Banknote reader.
- Jofemar card/key reader or any card reader that uses the MDB protocol.
- Pop-up billboard advertisement. Extensible panel with the elevator movement in the ComboPlus and Multiseller models.
- Vandal-proof coin entry option.
- Microwave ovens detached column for master machines. Self-activated when a product has been dispensed from the master machine. Individually heating time is programmed per selection.
- DEX protocol data extraction (optional).

	COMBOPLUS	MULTISELLER	SNACKPLUS	EASYCOMBO	VISION E-S	VISION E-S PLUS	MÓDULO DE PAGO + E-S PLUS
Temperature	Under 5°C	Room temperature	Room temperature	Under 5°C	With/Without cooling unit		-
Maximum capacity	8 trays of up to 7 channels	8 trays of up to 7 channels	6 trays of up to 10 channels and 2 trays of up to 7 channels	6 trays of up to 10 channels and 2 trays of up to 7 channels	6 trays of up to 10 channels and 2 trays of up to 7 channels	8 trays of up to 10 channels	8 trays of up to 10 channels in the machine
Elevator	Yes	Yes	No	No	No	Yes	Yes
Size (mm)	1,830 x 803 x 935		1,830 x 803 x 970		1,830 x 803 x 935	1,830 x 803 x 970	1,830 x 1.043 x 970
Weight	325 kg	296 kg	268 kg	297 kg	297 kg	325 kg	-
Energy supply	230 V, 50 Hz*						
Cooling unit	CFC-free R-134a	No	No	CFC-free R-134a	Optional	Optional	Optional (in machine)

*Check for other voltages.



Jofemar
VENDING

Technological
Innovation

Reliability

100% Jofemar
Technology

Jofemar

Ctra. Marcilla km 2
31350 PERALTA. Navarra SPAIN
Tel. +34 948 75 12 12
Fax +34 948 75 04 20

www.jofemarmvending.com

